



## Exterior Lights UK Ltd

The Broadstairs is a modern IP65 / IK08 LED post top with a choice of asymmetric or symmetric light distribution.


Manufactured from UV stabilised polycarbonate and incorporating the latest LED and LED driver technology.

Options include Mini Photocell, Nema Socket and spigot entry size.



# Broadstairs 20W - LED Post Top

## Amenity Lighting



## Features


- LED rating 2,822lm (4000K & 6000K).
- LED rating 2,393lm (3000K).
- Luminaire flux 2,596lm (4000K & 6000K).
- Luminaire flux 2,201lm (3000K).
- 3000K (WW), 4000K (NW) and 6000K (CW) colour temperature options.
- Cree LEDs & Premium Driver.
- -20 to +40°C operating temperature.
- LED Life span > 100,000hrs.
- Easy access to LED and Driver via a removable head.
- Optional Mini Photocell.
- Symmetrical & Asymmetrical LED Optics
- Manufactured from UV stabilised polycarbonate.
- RAL 9005 (Black) epoxy powder paint finish.

## Applications

- Car Parks
- Retail Parks
- Walk Ways
- Parks & Gardens
- Security
- Amenity Areas

[www.exteriorlights.co.uk](http://www.exteriorlights.co.uk)

**01689 606 342**



## Specifications

### Broadstairs 20W

Item Number	Description	Light Source	LED Rating (lm)	Total Wattage (W)	CCT (K)	CRI	Voltage (VAC)	Luminaire Flux (lm)	Luminaire Efficacy (lm/W)	Kg	Unit Colour	Spigot Size (mm)
<b>Standard - 76mm Spigot</b>												
MP20-AC-00B-76-SYM	Broadstairs-20W-LED-AC-6K-Std-Black-76mm-SYM	LED	2,822	20	6K	Ra>70	220-240	2,596	130	9.0	Black	76
MP20-AC-00B-76-A/SYM	Broadstairs-20W-LED-AC-6K-Std-Black-76mm-A/SYM	LED	2,822	20	6K	Ra>70	220-240	2,596	130	9.0	Black	76
MP20-AN-00B-76-SYM	Broadstairs-20W-LED-AC-4K-Std-Black-76mm-SYM	LED	2,822	20	4K	Ra>70	220-240	2,596	130	9.0	Black	76
MP20-AN-00B-76-A/SYM	Broadstairs-20W-LED-AC-4K-Std-Black-76mm-A/SYM	LED	2,822	20	4K	Ra>70	220-240	2,596	130	9.0	Black	76
MP20-AW-00B-76-SYM	Broadstairs-20W-LED-AC-3K-Std-Black-76mm-SYM	LED	2,393	20	3K	Ra>70	220-240	2,201	110	9.0	Black	76
MP20-AW-00B-76-A/SYM	Broadstairs-20W-LED-AC-3K-Std-Black-76mm-A/SYM	LED	2,393	20	3K	Ra>70	220-240	2,201	110	9.0	Black	76
<b>Standard - 60mm Spigot</b>												
MP20-AC-00B-60-SYM	Broadstairs-20W-LED-AC-6K-Std-Black-60mm-SYM	LED	2,822	20	6K	Ra>70	220-240	2,596	130	9.0	Black	60
MP20-AC-00B-60-A/SYM	Broadstairs-20W-LED-AC-6K-Std-Black-60mm-A/SYM	LED	2,822	20	6K	Ra>70	220-240	2,596	130	9.0	Black	60
MP20-AN-00B-60-SYM	Broadstairs-20W-LED-AC-4K-Std-Black-60mm-SYM	LED	2,822	20	4K	Ra>70	220-240	2,596	130	9.0	Black	60
MP20-AN-00B-60-A/SYM	Broadstairs-20W-LED-AC-4K-Std-Black-60mm-A/SYM	LED	2,822	20	4K	Ra>70	220-240	2,596	130	9.0	Black	60
MP20-AW-00B-60-SYM	Broadstairs-20W-LED-AC-3K-Std-Black-60mm-SYM	LED	2,393	20	3K	Ra>70	220-240	2,201	110	9.0	Black	60
MP20-AW-00B-60-A/SYM	Broadstairs-20W-LED-AC-3K-Std-Black-60mm-A/SYM	LED	2,393	20	3K	Ra>70	220-240	2,201	110	9.0	Black	60

Legend: **M/Photocell** = Mini Photocell. **SYM** = Symmetrical. **A/SYM** = Asymmetrical.  
**3K** = Warm White (3000K). **4K** = Neutral White (4000K). **6K** = Cool White (6000K).

# Specifications

## Broadstairs 20W

Item Number	Description	Light Source	LED Rating (lm)	Total Wattage (W)	CCT (K)	CRI	Voltage (VAC)	Luminaire Flux (lm)	Luminaire Efficacy (lm/W)	Kg	Unit Colour	Spigot Size (mm)
<b>Standard - Mini Photocell - 76mm Spigot</b>												
MP20-AC-04B-76-SYM	Broadstairs-20W-LED-AC-6K-Std-M/Photocell-Black-76mm-SYM	LED	2,822	20	6K	Ra>70	220-240	2,596	130	9.0	Black	76
MP20-AC-04B-76-A/SYM	Broadstairs-20W-LED-AC-6K-Std-M/Photocell-Black-76mm-A/SYM	LED	2,822	20	6K	Ra>70	220-240	2,596	130	9.0	Black	76
MP20-AN-04B-76-SYM	Broadstairs-20W-LED-AC-4K-Std-M/Photocell-Black-76mm-SYM	LED	2,822	20	4K	Ra>70	220-240	2,596	130	9.0	Black	76
MP20-AN-04B-76-A/SYM	Broadstairs-20W-LED-AC-4K-Std-M/Photocell-Black-76mm-A/SYM	LED	2,822	20	4K	Ra>70	220-240	2,596	130	9.0	Black	76
MP20-AW-04B-76-SYM	Broadstairs-20W-LED-AC-3K-Std-M/Photocell-Black-76mm-SYM	LED	2,393	20	3K	Ra>70	220-240	2,201	110	9.0	Black	76
MP20-AW-04B-76-A/SYM	Broadstairs-20W-LED-AC-3K-Std-M/Photocell-Black-76mm-A/SYM	LED	2,393	20	3K	Ra>70	220-240	2,201	110	9.0	Black	76
<b>Standard - Mini Photocell - 60mm Spigot</b>												
MP20-AC-04B-60-SYM	Broadstairs-20W-LED-AC-6K-Std-M/Photocell-Black-60mm-SYM	LED	2,822	20	6K	Ra>70	220-240	2,596	130	9.0	Black	60
MP20-AC-04B-60-A/SYM	Broadstairs-20W-LED-AC-6K-Std-M/Photocell-Black-60mm-A/SYM	LED	2,822	20	6K	Ra>70	220-240	2,596	130	9.0	Black	60
MP20-AN-04B-60-SYM	Broadstairs-20W-LED-AC-4K-Std-M/Photocell-Black-60mm-SYM	LED	2,822	20	4K	Ra>70	220-240	2,596	130	9.0	Black	60
MP20-AN-04B-60-A/SYM	Broadstairs-20W-LED-AC-4K-Std-M/Photocell-Black-60mm-A/SYM	LED	2,822	20	4K	Ra>70	220-240	2,596	130	9.0	Black	60
MP20-AW-04B-60-SYM	Broadstairs-20W-LED-AC-3K-Std-M/Photocell-Black-60mm-SYM	LED	2,393	20	3K	Ra>70	220-240	2,201	110	9.0	Black	60
MP20-AW-04B-60-A/SYM	Broadstairs-20W-LED-AC-3K-Std-M/Photocell-Black-60mm-A/SYM	LED	2,393	20	3K	Ra>70	220-240	2,201	110	9.0	Black	60

Legend: **M/Photocell** = Mini Photocell. **SYM** = Symmetrical. **A/SYM** = Asymmetrical.  
**3K** = Warm White (3000K). **4K** = Neutral White (4000K). **6K** = Cool White (6000K).

www.exteriorlights.co.uk  
**01689 606 342**



V220615