



The Larkfield is a stunning IP65 rated LED Post Top with a stylish and elegant feel.

Manufactured with a beautiful aluminium louvre stack and featuring a coated black upper canopy to ensure a controlled distribution of light with minimal glare.

Options include Mini Photocell, Dali and spigot size.

Larkfield 60W - LED Post Top

Amenity Lighting



Features

- LED rating 7,752lm (4000K & 6000K).
- LED rating 6,558lm (3000K).
- Luminaire flux 6,744lm (4000K & 6000K).
- Luminaire flux 5,706lm (3000K).
- 3000K (WW), 4000K (NW) and 6000K (CW) colour temperature options.
- -20 to +40°C operating temperature.
- LED life span > 100,000hrs.
- Easy access to LED and Driver via a removable head.
- Options available include Mini Photocell, Dali and 180° Spill Shield.
- Manufactured from UV stabilised polycarbonate.
- Louvres for optimum performance and minimal upward light.
- Tamper proof fixings for increased vandal resistance.

Applications

- Car Parks
- Retail Parks
- Walk Ways
- Parks & Gardens
- Security
- Amenity Areas

www.exteriorlights.co.uk
01689 606342



Specifications

Larkfield 60W

Item Number	Description	Light Source	LED Rating (lm)	Total Wattage (W)	Colour Name	CCT(K)	CRI	Voltage	Driver Current (mA)	Luminaire Flux (lm)	Luminaire Efficacy (lm/W)	Kg	Unit Colour	Spigot Size (mm)
Standard - Black Top														
B60-A7C-00B-60	Larkfield-60W-LED-AC-6K-Std-Black-60mm	LED	7,752	60	CW	6K	Ra>70	220-240	700	6,744	112	5	Black	60
B60-A7C-00B-76	Larkfield-60W-LED-AC-6K-Std-Black-76mm	LED	7,752	60	CW	6K	Ra>70	220-240	700	6,744	112	5	Black	76
B60-A7N-00B-60	Larkfield-60W-LED-AC-4K-Std-Black-60mm	LED	7,752	60	NW	4K	Ra>70	220-240	700	6,744	112	5	Black	60
B60-A7N-00B-76	Larkfield-60W-LED-AC-4K-Std-Black-76mm	LED	7,752	60	NW	4K	Ra>70	220-240	700	6,744	112	5	Black	76
B60-A7W-00B-60	Larkfield-60W-LED-AC-3K-Std-Black-60mm	LED	6,558	60	WW	3K	Ra>80	220-240	700	5,706	95	5	Black	60
B60-A7W-00B-76	Larkfield-60W-LED-AC-3K-Std-Black-76mm	LED	6,558	60	WW	3K	Ra>80	220-240	700	5,706	95	5	Black	76
Standard - Silver Top														
B60-A7C-00S-60	Larkfield-60W-LED-AC-6K-Std-Silver-60mm	LED	7,752	60	CW	6K	Ra>70	220-240	700	6,744	112	5	Silver	60
B60-A7C-00S-76	Larkfield-60W-LED-AC-6K-Std-Silver-76mm	LED	7,752	60	CW	6K	Ra>70	220-240	700	6,744	112	5	Silver	76
B60-A7N-00S-60	Larkfield-60W-LED-AC-4K-Std-Silver-60mm	LED	7,752	60	NW	4K	Ra>70	220-240	700	6,744	112	5	Silver	60
B60-A7N-00S-76	Larkfield-60W-LED-AC-4K-Std-Silver-76mm	LED	7,752	60	NW	4K	Ra>70	220-240	700	6,744	112	5	Silver	76
B60-A7W-00S-60	Larkfield-60W-LED-AC-3K-Std-Silver-60mm	LED	6,558	60	WW	3K	Ra>80	220-240	700	5,706	95	5	Silver	60
B60-A7W-00S-76	Larkfield-60W-LED-AC-3K-Std-Silver-76mm	LED	6,558	60	WW	3K	Ra>80	220-240	700	5,706	95	5	Silver	76

Specifications

Larkfield 60W

Item Number	Description	Light Source	LED Rating (lm)	Total Wattage (W)	Colour Name	CCT(K)	CRI	Voltage	Driver Current (mA)	Luminaire Flux (lm)	Luminaire Efficacy (lm/W)	Kg	Unit Colour	Spigot Size (mm)	
Standard - Black - Mini Photocell															
B60-A7C-04B-60	Larkfield-60W-LED-AC-6K-Std-M/Photocell-Black-60mm	LED	7,752	60	CW	6K	Ra>70	220-240	700	6,744	112	5	Black	60	
B60-A7C-04B-76	Larkfield-60W-LED-AC-6K-Std-M/Photocell-Black-76mm	LED	7,752	60	CW	6K	Ra>70	220-240	700	6,744	112	5	Black	76	
B60-A7N-04B-60	Larkfield-60W-LED-AC-4K-Std-M/Photocell-Black-60mm	LED	7,752	60	NW	4K	Ra>70	220-240	700	6,744	112	5	Black	60	
B60-A7N-04B-76	Larkfield-60W-LED-AC-4K-Std-M/Photocell-Black-76mm	LED	7,752	60	NW	4K	Ra>70	220-240	700	6,744	112	5	Black	76	
B60-A7W-04B-60	Larkfield-60W-LED-AC-3K-Std-M/Photocell-Black-60mm	LED	6,558	60	WW	3K	Ra>80	220-240	700	5,706	95	5	Black	60	
B60-A7W-04B-76	Larkfield-60W-LED-AC-3K-Std-M/Photocell-Black-76mm	LED	6,558	60	WW	3K	Ra>80	220-240	700	5,706	95	5	Black	76	
Standard - Silver Top - Mini Photocell															
B60-A7C-04S-60	Larkfield-60W-LED-AC-6K-Std-M/Photocell-Silver-60mm	LED	7,752	60	CW	6K	Ra>70	220-240	700	6,744	112	5	Silver	60	
B60-A7C-04S-76	Larkfield-60W-LED-AC-6K-Std-M/Photocell-Silver-76mm	LED	7,752	60	CW	6K	Ra>70	220-240	700	6,744	112	5	Silver	76	
B60-A7N-04S-60	Larkfield-60W-LED-AC-4K-Std-M/Photocell-Silver-60mm	LED	7,752	60	NW	4K	Ra>70	220-240	700	6,744	112	5	Silver	60	
B60-A7N-04S-76	Larkfield-60W-LED-AC-4K-Std-M/Photocell-Silver-76mm	LED	7,752	60	NW	4K	Ra>70	220-240	700	6,744	112	5	Silver	76	
B60-A7W-04S-60	Larkfield-60W-LED-AC-3K-Std-M/Photocell-Silver-60mm	LED	6,558	60	WW	3K	Ra>80	220-240	700	5,706	95	5	Silver	60	
B60-A7W-04S-76	Larkfield-60W-LED-AC-3K-Std-M/Photocell-Silver-76mm	LED	6,558	60	WW	3K	Ra>80	220-240	700	5,706	95	5	Silver	76	
Dali - Black Top															
B60-A7C-20B-60	Larkfield-60W-LED-AC-6K-Dali-Black-60mm	LED	7,752	60	CW	6K	Ra>70	220-240	700	6,744	112	5	Black	60	
B60-A7C-20B-76	Larkfield-60W-LED-AC-6K-Dali-Black-76mm	LED	7,752	60	CW	6K	Ra>70	220-240	700	6,744	112	5	Black	76	
B60-A7N-20B-60	Larkfield-60W-LED-AC-4K-Dali-Black-60mm	LED	7,752	60	NW	4K	Ra>70	220-240	700	6,744	112	5	Black	60	
B60-A7N-20B-76	Larkfield-60W-LED-AC-4K-Dali-Black-76mm	LED	7,752	60	NW	4K	Ra>70	220-240	700	6,744	112	5	Black	76	
B60-A7W-20B-60	Larkfield-60W-LED-AC-3K-Dali-Black-60mm	LED	6,558	60	WW	3K	Ra>80	220-240	700	5,706	95	5	Black	60	
B60-A7W-20B-76	Larkfield-60W-LED-AC-3K-Dali-Black-76mm	LED	6,558	60	WW	3K	Ra>80	220-240	700	5,706	95	5	Black	76	
Dali - Silver Top															
B60-A7C-20S-60	Larkfield-60W-LED-AC-6K-Dali-Silver-60mm	LED	7,752	60	CW	6K	Ra>70	220-240	700	6,744	112	5	Silver	60	
B60-A7C-20S-76	Larkfield-60W-LED-AC-6K-Dali-Silver-76mm	LED	7,752	60	CW	6K	Ra>70	220-240	700	6,744	112	5	Silver	76	
B60-A7N-20S-60	Larkfield-60W-LED-AC-4K-Dali-Silver-60mm	LED	7,752	60	NW	4K	Ra>70	220-240	700	6,744	112	5	Silver	60	
B60-A7N-20S-76	Larkfield-60W-LED-AC-4K-Dali-Silver-76mm	LED	7,752	60	NW	4K	Ra>70	220-240	700	6,744	112	5	Silver	76	
B60-A7W-20S-60	Larkfield-60W-LED-AC-3K-Dali-Silver-60mm	LED	6,558	60	WW	3K	Ra>80	220-240	700	5,706	95	5	Silver	60	
B60-A7W-20S-76	Larkfield-60W-LED-AC-3K-Dali-Silver-76mm	LED	6,558	60	WW	3K	Ra>80	220-240	700	5,706	95	5	Silver	76	

Legend: **M/Photocell** = Mini Photocell. **3K** = Warm White (3000K). **4K** = Neutral White (4000K). **6K** = Cool White (6000K). **WW** = Warm White. **NW** = Neutral White. **CW** = Cool White.

www.exteriorlights.co.uk

00689 606342

