

Modular aluminium profiles


ALS-5


The latest versatile ALS-5 profile is ideal for many applications. It creates a continuous light effect through internal and external corners and angles, in surface mounted and suspended installations. It comes with a range of pre-made linear extensions and modular connectors ('T', 'L' and 'X' shapes and 135° version) making this ideal for perfecting the seamless effect.

Surface mounted / suspended



Dimensions





Technical specification

Code	Description	Dimensions
ALS-5/1M	Modular aluminium profile surface mounted / suspended SET	1m
ALS-5/2M	Modular aluminium profile surface mounted / suspended SET	2m
ALS-5/L90	90° Corner connector SET	20 X 20cm
ALS-5/L90INT	90° Internal corner connector SET	20 X 20cm
ALS-5/L90EXT	90° External corner connector SET	20 X 20cm
ALS-5/X90	X shaped connector SET	40 X 40cm
ALS-5/T90	T shaped connector SET	40 X 20cm
ALS-5/L135	135° Angle connector SET	20 X 20cm
Construction	anodised aluminium 6063 * black * white	
IP rating	IP20	

* - available upon request, subject to MOQ

All sets include opal diffusers.

Accessories

Code	Item
AL-RAIL	Rail connector for ALS-5, ALS-5i, ALS-6i, ALP-6 & ALP-6e
ALS-5/CLIP	Two mounting clips, 2 pcs of end caps for ALS-5
ALS-5/Wire	(X2) Steel wire for pendant (ALS-5)

Note


For compatibility of LED strip with aluminium profile, please refer to the compatibility chart in our catalogue or on our website:

www.intalite.co.uk/compatibilitychart


Modular aluminium profiles

ALS-5


Dimensions




ALS-5/L90




ALS-5/L90INT




ALS-5/L90EXT



ALS-5/X90



ALS-5/T90



ALS-5/L135

INTALITE UK
 148 - 154 Merton High Street;
 London, SW19 1AZ, UK
 Tel: +44 (0)20 8542 1471
 Fax: 0870 4211 763
www.intalite.co.uk
sales@intalite.co.uk

* dimensions are in mm