



SLV MYRA 2

outdoor spike luminaire, double-headed, LED GU10 51mm, IP44, anthracite, 18 W

Article number 233185

Product family MYRA

Feed-in capability No

Lampholder / Socket GU10

Number of light sources 2

Lamp included No

Tilt range 45 Degree

Rotation range 340 Degree

Width 25 cm

Height 30.5 cm

Net weight 1.071 kg

Gross weight 1.488 kg

Voltage 220-240V ~50/60Hz

Max. wattage 4 Watt

Protection class II

IP-rating IP 44

Energy efficiency class A++



Lamp LED GU10 51mm

Colour anthracite

Light distribution type 1 direct

Material Aluminium

Type of plug open cable end



Articles of this series

233094 MYRA WALL, outdoor wall and ceiling light, double-headed, QPAR51, IP55, silver-grey, max.100W

233095 MYRA WALL, outdoor wall and ceiling light, double-headed, QPAR51, IP55, anthracite, max.100W

233104 MYRA WALL, outdoor wall and ceiling light, single-headed, QPAR51, IP55, silver-grey, max. 50W

233105 MYRA WALL, outdoor wall and ceiling light, single-headed, QPAR51, IP55, anthracite, max. 50W

233114 MYRA, outdoor wall light, QPAR51, IP55, up/down, silver-grey, max. 70W

233115 MYRA, outdoor wall light, QPAR51, IP55, up/down, anthracite, max. 70W

233124 MYRA DISPLAY, outdoor wall light, QPAR51, IP55, silver-grey, rigid, max. 50W

233125 MYRA DISPLAY, outdoor wall light, QPAR51, IP55, anthracite, rigid, max. 50W

233134 MYRA DISPLAY, outdoor wall light, QPAR51, IP55, silver-grey, convex, max. 50W

233135 MYRA DISPLAY, outdoor wall light, QPAR51, IP55, anthracite, convex, max. 50W

233174 MYRA1 , outdoor spike luminaire, single-headed, LED GU10 51mm, IP44, silver-grey, 4.5 W

233175 MYRA1 , outdoor spike luminaire, single-headed, LED GU10 51mm, IP44, anthracite, 4.5W

233184 MYRA 2 , outdoor spike luminaire, double-headed, LED GU10 51mm, IP44, silver-grey, 18W

With the double-headed, aluminium-made lamp head MYRA 2, both spots are adjustable. Thanks to its IP44 protection class, the luminaire is suitable for outdoor use. The luminaire is connected to the 230 V mains supply. With the accessories available such as extension rod, stand base and earth spikes, the luminaire is freely configurable. Concrete anchor sets and hanger bolt sets are available as optional mounting accessories. The MYRA series includes other wall luminaires as well as display fittings and can therefore be used universally. This luminaire is compatible with bulbs in energy classes: A - A++

Notes
